



WELLCRAFT//2017

PRODUCT INFORMATION GUIDE





Wellcraft®



INTRODUCTION

Since 1955, the Wellcraft name has stood for innovation, quality and reliability. These core values are found in an American icon designed by fishermen who require the best product every time they leave the dock. From offshore fishing to Great Lakes touring, the adventure begins with the turn of the key. Take a look at the line-up and choose the model that delivers everything from your needs, desires, and personal style: Fisherman, 35 Scarab® Offshore Tournament, Sportsman, and Coastal®. Take our new features, upgraded amenities, and distinctive styling and make it your own because what you want is what you deserve.

New for 2017, Wellcraft has dedicated another year to you and your family by expanding the Fisherman series with two quality new models. The all-new 262 Center Console and 302 are commanding applications in style, with the stable, smooth performance you've always demanded from Wellcraft. Whether you take her offshore or hang around inland, you will experience the signature hook that's only delivered through the Fisherman series. The 35 Scarab® Offshore Tournament is a sport class Center Console speaking of legendary execution. A Scarab Offshore Tournament boat is diligent, designed with a purpose, and produced with premium durability and versatility.

With our Sportsman series, family comfort always comes first. You'll appreciate that these models are the perfect blend of fishing functionality, family fun, and leisure entertainment. Get ready for watersports, cruising, trolling, or chasing trophy fish because it's family time at its finest with the Sportsman series. The Wellcraft Coastal® series of sport, fishing boats are well-crafted for luxury offshore fishing and exceptional family-fun. With the backend built for the serious business of fishing, you'll also find that we haven't lagged on storage, room to maneuver, premium appointments, and all day amenities like a head and galley. Coastal sport fishing, it's all about you.

Here at Wellcraft we pride ourselves in the expert craftsmanship and revolutionary engineering entrusted into every series and model. We build boats that provide the strength, responsiveness, and performance trusted by tournament champions worldwide. Our boats are designed by fishermen for fishermen... welcome aboard Wellcraft.



TABLE OF CONTENTS

180 Fisherman	6
221 Fisherman	10
222 Fisherman	18
241 Fisherman	26
242 Fisherman	34
262 Fisherman	42
30 Scarab® Offshore Tournament	54
35 Scarab® Offshore Tournament	58
180 Sportsman	64
220 Sportsman	68
220 Coastal®	74
232 Coastal®	78
252 Coastal®	82
290 Coastal®	86
Trailers	90
Warranty	96

Notice: Due to Wellcraft's policy of continual product improvement, specifications are subject to change without notice. The weights and volumes shown are approximate and can vary slightly from boat to boat. Wellcraft boats meet or exceed all USCG and NMMA requirements for certification at the date of manufacture.

Performance disclosure: Test results for each model were obtained using specified engines at sea level in ideal conditions with two or more test drivers aboard. Your performance may vary depending upon load, altitude, temperature, humidity, water conditions, choice of prop and cleanliness of the boat's hull.





— W —

FISHERMAN

180 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	18' 0"	8.48 m
Beam	8' 0"	2.44 m
Fuel Capacity	51 gal	193 L
Draft (drive up)	15"	38 cm
Draft (drive down)	32"	81 cm
Maximum Capacity	1650 lbs	749 kg
Persons Capacity	6	6
Approx. Boat & Engine Weight	2065 lbs	937 kg
Maximum Horsepower	150 hp	112 kw
Deadrise	20°	20°
Bridge Clearance	4' 5"	1.37 m
Bridge Clearance w/bimini top	6' 7"	2.01 m

KEY SALES FEATURES

- Cleats, stainless steel
- Custom guages
- Fiberglass stringers
- Swim platform w/ladder
- Rod holders, gunnel mount
- Built-in bait/livewell
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain

POWER OPTIONS

Evinrude [®]	E115DSL
Evinrude [®]	E135 HO HSL
Evinrude [®]	E150DSL
Mercury [®]	115ELPT 4S
Mercury [®]	150L 4S
Mercury [®]	150ELPT Pro SX Optimax
Yamaha [®]	F115LB
Yamaha [®]	F150LB

180 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Cleats, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel

HELM

- 12 volt receptacle
- Compass
- Instrumentation: tachometer, fuel, trim and speedometer
- Steering wheel, stainless w/ knob

ENGINE/SYSTEMS

- Bilge pump, automatic
- Raw water wash down

CONSOLE

- Windscreen, console

COCKPIT

- Bait well/live well
- Bait well, cushion
- Beverage holder(s)
- Cooler
- Courtesy Lights
- Diamond pattern anti-skid
- Rod storage, gunnel
- Seats, aft
- Seating, forward console
- Self bailing cockpit
- Storage/Fishbox w/overboard drain



180 FISHERMAN / OPTIONS

HULL AND DECK

- Bow rails, stainless steel
- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices

COCKPIT

- Seating, bow cushion

ENGINE/SYSTEMS

- Hydraulic steering (std on 135 hp and up)

CANVAS

- Bimini Top (NA w/T-Top)

TRAILER

- EZ-loader aluminum w/brakes
- EZ-loader galvanized w/brakes



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

221 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	22' 4"	6.8 m
Beam	8' 6"	2.59 m
Fuel Capacity	52 gal	197 L
Draft (drive up)	14"	36 cm
Draft (drive down)	27"	69 cm
Maximum Capacity	2500 lbs	1134 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3400-3600 lbs	1540-1630 kg
Maximum Horsepower	250 hp	187 kw
Deadrise	15°	15°
Bridge Clearance	8' 2"	2.49 m
Trailer Height w/Top	11'0"	3.35 m
Trailer Height w/o Top	8'11"	2.72 m

KEY SALES FEATURES

- Cleats pull-up
- Console changing room
- Fiberglass stringer
- Tackle storage curtains
- Powdercoat hardware
- Wellcraft custom trailer
- Cooler, carry on
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Evinrude® 150DPX	150	112	3990	1780
Evinrude® 200DPX	200	149	3930	1780
Evinrude® 250X G2	250	187	4060	1840
Mercury® 150XL 4S	150	112	3970	1800
Mercury® 200XL Verado	200	149	4020	1820
Mercury® 200XL Optimax	200	149	4010	1820
Mercury® 250XL Verado	250	187	4170	1890
Mercury® 250XL Optimax	250	187	4020	1820
Yamaha® F150XB	150	112	3990	1810
Yamaha® F200XB	200	149	3990	1810
Yamaha® VF250XASHO	250	187	4060	1840
Yamaha® F250XCA	250	187	4060	1840

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch) IN	Pitch CM	Type	Top Speed		Cruise Range	
				MPH	KPH	MI	KM
Evinrude® 150DPX	14 7/8 X 17	38 X 43	AL	40-43	64-69	180	290
Evinrude® 200DPX	14 3/4 X 17	37 X 43	SST	43-46	69-74	175	280
Evinrude® 250X G2	15 X 18	38 X 46	SST	47-50	76-81	180	290
Mercury® 150XL 4S	15 X 17	38 X 43	AL	40-43	64-69	175	280
Mercury® 200XL Verado	15 1/2 X 17	39 X 43	SST	43-46	69-74	185	300
Mercury® 200XL Optimax	15 1/2 X 17	39 X 43	SST	43-46	69-74	170	270
Mercury® 250XL Verado	15 1/4 X 19	39 X 48	SST	47-50	76-81	185	300
Mercury® 250XL Optimax	15 1/4 X 19	39 X 48	SST	47-50	76-81	175	280
Yamaha® F150XB	14 1/2 X 17	37 X 43	AL	40-43	64-69	175	280
Yamaha® F200XB	14 1/2 X 15	37 X 38	SST	41-44	66-71	170	270
Yamaha® VF250XASHO	15 1/4 X 19	39 X 19	SST	47-50	76-81	185	300
Yamaha® F250XCA	15 1/4 X 19	39 X 19	SST	47-50	76-81	185	300

FUEL FLOW DATA - 221F - EVINRUDE® 150DPX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	6	10	2	8
2500 rpm	7	11	3	11
3000 rpm	8	13	5	19
3500 rpm	20	32	5	19
4000 rpm	26	42	6	23
4500 rpm	31	50	7	26
5000 rpm	35	56	10	38
5500 rpm	38	61	13	49
WOT	41	66	14	53

**FUEL FLOW DATA - 221F - EVINRUDE® 200DPX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	9	14	6	23
3500 rpm	21	34	6	23
4000 rpm	28	45	8	30
4500 rpm	33	53	10	38
5000 rpm	37	60	13	49
5500 rpm	40	64	17	64
WOT	43	69	18	68

FUEL FLOW DATA - 221F - EVINRUDE® 250X G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	3	11
2500 rpm	8	13	5	19
3000 rpm	10	16	6	23
3500 rpm	27	43	7	26
4000 rpm	31	50	9	34
4500 rpm	36	58	11	42
5000 rpm	40	64	14	53
5500 rpm	44	71	17	64
WOT	47	76	21	79

FUEL FLOW DATA - 221F - MERCURY® 150XL 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	5	8	2	8
2500 rpm	7	11	3	11
3000 rpm	8	13	5	19
3500 rpm	20	32	5	19
4000 rpm	26	42	6	23
4500 rpm	31	50	8	30
5000 rpm	35	56	10	38
5500 rpm	38	61	13	49
WOT	41	66	14	53

**FUEL FLOW DATA - 221F - MERCURY® 200XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	8	13	4	15
3500 rpm	10	16	7	26
4000 rpm	28	45	7	26
4500 rpm	32	52	8	30
5000 rpm	35	56	11	42
5500 rpm	38	61	15	57
6000 rpm	41	66	17	64
WOT	44	71	19	72

FUEL FLOW DATA - 221F - MERCURY® 200XL OPTIMAX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	9	14	6	23
3500 rpm	22	35	7	26
4000 rpm	28	45	9	34
4500 rpm	33	53	10	38
5000 rpm	37	60	13	49
5500 rpm	40	64	17	64
WOT rpm	43	69	19	72

FUEL FLOW DATA - 221F - MERCURY® 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	8	13	5	19
3500 rpm	11	18	9	34
4000 rpm	30	48	9	34
4500 rpm	34	55	10	38
5000 rpm	38	61	14	53
5500 rpm	41	66	18	68
6000 rpm	45	72	21	97
WOT	48	77	23	87

**FUEL FLOW DATA - 221F - MERCURY® 250XL OPTIMAX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	3	11
2500 rpm	8	13	5	19
3000 rpm	10	16	6	23
3500 rpm	27	43	7	26
4000 rpm	31	50	9	34
4500 rpm	36	58	11	42
5000 rpm	40	64	15	57
5500 rpm	45	72	19	72
WOT	48	77	23	87

FUEL FLOW DATA - 221F - YAMAHA® F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	5	8	2	8
2500 rpm	7	11	3	11
3000 rpm	8	13	5	19
3500 rpm	19	31	5	19
4000 rpm	25	40	6	23
4500 rpm	30	48	8	30
5000 rpm	35	56	10	38
5500 rpm	38	61	12	45
WOT	41	66	14	53

FUEL FLOW DATA - 221F - YAMAHA® F200XB & XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	9	14	6	23
3500 rpm	19	31	6	23
4000 rpm	28	45	8	30
4500 rpm	33	53	9	34
5000 rpm	37	60	13	49
5500 rpm	40	64	17	64
WOT	43	69	18	68

**FUEL FLOW DATA - 221F - YAMAHA® F250XCA & VF250XA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	3	11
2500 rpm	8	13	5	19
3000 rpm	9	14	7	26
3500 rpm	27	43	7	26
4000 rpm	31	50	9	34
4500 rpm	37	60	11	42
5000 rpm	40	64	14	53
5500 rpm	44	71	17	64
WOT	47	76	21	79

221 FISHERMAN / STANDARDS**HULL AND DECK**

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Assist handles, stainless steel
- Bait well/live well, 34 gallon w/ bluecoat, light & timer, 2
- Beverage holder(s)
- Center bow two level dry storage
- Cooler, bow
- Cooler, carry-on, 72 qt
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Diamond pattern anti-skid
- Leaning post
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench

- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Tackle storage w/boxes
- Under rear seat storage

HELM

- 12 volt receptacle
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Battery on/off switch
- Bilge pump, automatic
- High speed live well pick-up
- Hydraulic steering (std on 135 hp and up)

CONSOLE

- Battery storage
- Changing room
- Rod holders
- Tackle storages curtains
- Windscreen, console

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde



221 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Underwater lights

COCKPIT

- Bait well, secondary fwd., 14 gal w/bluecoat & timer (rep. 56 qt built in cooler)
- Leaning post, upgrade w/backrest, rod holders
- Mat package, helm floor and rod storage
- Seating, bow fishing
- Seating, bow sun lounge cushions w/backrest
- Sport seats

HELM

- Compass
- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo
- Fusion Stereo w/Deluxe T-Top
- Premium Sound system (Fusion stereo, JL audio amp, speakers and subwoofer)
- Premium Sound system w/Deluxe T-Top (Fusion stereo, JL audio amp, speakers and subwoofer)

ENGINE/SYSTEMS

- Battery charger
- Battery dual trays with switch
- Bilge pump, automatic
- Down rigger pre-wire
- Jack plate, hydraulic
- Power pole, 1 or 2
- Raw water wash down
- Tilt steering
- Trim tabs, w/LED indicators
- Trolling motor pre-wire
- Trolling motor, 24 volt

CONSOLE

- Head, porta pottie (NA Canada)

T-TOPS

- Deluxe T-Top, LED lights, spreader lights & electronic box
- Fiberglass T-Top w/rod holders

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover
- Eisenglass spray shields (T-Top only)

TRAILER

- EZ-loader aluminum w/brakes
- Spare tire & wheel, galvanized
- Wheels, aluminum

FAMILY PACKAGE

- Bow seating package
- Porta pottie (NA in Canada)

TOURNAMENT TRIM PACKAGE

- Mat package, helm floor and rod storage
- Tri-Tone gel scheme
- Tournament graphics
- Upgrade cockpit interior
- Upgrade leaning post w/backrest, rod holders



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

222 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	22' 0"	6.71 m
Beam	8' 6"	2.59 m
Fuel Capacity	103 gal	389 L
Draft (drive up)	16"	40.64 cm
Draft (drive down)	34"	86.36 cm
Maximum Capacity	2700 lbs	1225 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3600 lbs	1635 kg
Maximum Horsepower	250 hp	187 kw
Deadrise	20°	20°
Bridge Clearance	8'2"	2.49 m
Trailer Height w/Top	11'0"	3.35m
Trailer Height w/o Top	8'9"	2.67m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringer
- Powdercoat hardware
- Cooler, carry on
- Diamond pattern anti-skid
- Fishbox w/overboard drain
- Console changing room
- Porta pottie
- Tackle storage curtains
- Built-in bait/live well

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Evinrude® 150DPX	150	112	4080	1850
Evinrude® C200FX G2	200	149	4160	1890
Evinrude® E250X G2	250	187	4210	1910
Mercury® 150XL 4S	150	112	4120	1870
Mercury® 200XL Verado	200	149	4180	1900
Mercury® 250XL Verado	250	187	4310	1950
Yamaha® F150XB	150	112	4140	1880
Yamaha® F200XB	200	149	4140	1880
Yamaha® F250XB	250	187	4220	1910
Yamaha® F250XCA	250	187	4220	1910

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Evinrude® 150DPX	14 3/4 X 17	37 x 43	SST	40-43	64-69	350	560
Evinrude® C200FX G2	14 3/4 X 19	37 X 48	SST	44-47	71-76	350	560
Evinrude® E250X G2	15 x 18	38 x 46	SST	47-50	76-81	340	550
Mercury® 150XL 4S	14 1/2 X 17	37 x 43	SST	40-43	64-69	350	560
Mercury® 200XL Verado	15 1/2 X 17	39 x 43	SST	43-46	69-74	340	550
Mercury® 250XL Verado	15 1/4 X 19	39 X 48	SST	47-50	76-81	340	550
Yamaha® F150XB	14 1/2 X 15	37 X 38	SST	39-42	63-68	320	520
Yamaha® F200XB	14 1/2 X 15	37 X 38	SST	43-46	69-74	330	530
Yamaha® F250XB & XCA	15 1/2 X 17	39 X 43	SST	47-50	76-81	320	520

FUEL FLOW DATA - 222F - EVINRUDE® 150DPX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	4	15
3500 rpm	22	35	5	19
4000 rpm	26	42	6	23
4500 rpm	29	47	8	30
5000 rpm	34	55	10	38
5500 rpm	38	61	12	45
WOT	40	64	14	53

**FUEL FLOW DATA - 222F - EVINRUDE® C200FX G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	5	19
3500 rpm	24	39	6	23
4000 rpm	28	45	8	30
4500 rpm	32	52	10	38
5000 rpm	38	61	13	49
5500 rpm	42	68	16	60
WOT	45	72	19	72

FUEL FLOW DATA - 222F - EVINRUDE® E250X G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	11	18	6	23
3000 rpm	24	39	7	26
3500 rpm	30	48	10	38
4000 rpm	35	56	12	45
4500 rpm	40	64	15	57
5000 rpm	44	71	18	68
5500 rpm	48	77	21	79
WOT	50	81	24	91

FUEL FLOW DATA - 222F - MERCURY® 150XL 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	5	19
3500 rpm	23	45	6	23
4000 rpm	28	45	8	30
4500 rpm	32	52	10	38
5000 rpm	37	60	12	45
WOT	40	64	14	53

**FUEL FLOW DATA - 222F - MERCURY® 200XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	5	19
3500 rpm	24	39	6	23
4000 rpm	29	47	8	30
4500 rpm	33	53	10	38
5000 rpm	38	61	12	45
5500 rpm	41	66	14	53
6000 rpm	44	71	17	64
WOT	46	74	20	76

FUEL FLOW DATA - 222F - MERCURY® 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	3	11
2500 rpm	8	13	4	15
3000 rpm	8	13	7	26
3500 rpm	10	16	10	38
4000 rpm	27	43	10	38
4500 rpm	35	56	12	45
5000 rpm	39	63	16	60
5500 rpm	43	69	18	68
6000 rpm	47	76	23	87
WOT	50	81	26	98

FUEL FLOW DATA - 222F - YAMAHA® F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	5	19
3500 rpm	22	35	5	19
4000 rpm	26	42	6	23
4500 rpm	29	47	8	30
5000 rpm	34	55	10	38
5500 rpm	38	61	13	49
WOT	40	64	16	61

FUEL FLOW DATA - 222F - YAMAHA® F200XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	2	8
2500 rpm	9	14	4	15
3000 rpm	14	23	5	19
3500 rpm	24	39	5	19
4000 rpm	29	47	7	26
4500 rpm	32	52	10	38
5000 rpm	38	61	13	49
5500 rpm	43	69	17	64
WOT	45	71	20	76

FUEL FLOW DATA - 222F - YAMAHA® F250 XCA & 250 XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	11	18	6	23
3000 rpm	24	39	7	26
3500 rpm	30	48	9	34
4000 rpm	34	55	12	45
4500 rpm	39	63	15	57
5000 rpm	44	71	19	72
5500 rpm	48	77	22	83
WOT	50	81	24	91

222 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow rails, stainless steel
- Cleats, pull-up, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, aft transom mounted
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Assist handles, stainless steel
- Bait well/live well
- Bait well/live well, 23 gallon w/ bluecoat

Beverage holder(s)

- Bolsters, cockpit
- Cooler, under leaning post (removable)
- Courtesy Lights
- Diamond pattern anti-skid
- Leaning post
- Lounge seat, back to back (port) w/36qt. cooler
- Rod storage, gunnel
- Seating, forward console
- Self bailing cockpit
- Storage/Fishbox w/overboard drain

HELM

- 12 volt receptacle
- Compass
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Bilge pump, automatic
- High speed live well pick-up
- Power assisted steering
- Raw water wash down

CONSOLE

- Battery storage
- Head, porta pottie (NA Canada)
- Rod holders
- Windscreen, console



222 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Bow anchor roller
- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Underwater lights

COCKPIT

- Transom cutting board w/tool holders
- Forward floor storage macerator
- Leaning post, upgrade w/backrest, rod holders
- Mat package, helm floor and rod storage
- Sport seats

HELM

- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo
- Fusion Stereo w/Deluxe T-Top
- Premium Sound system (Fusion stereo, JL audio amp, speakers and subwoofer)
- Premium Sound system w/Deluxe T-Top (Fusion stereo, JL audio amp, speakers and subwoofer)
- VHF radio (Garmin 100i)

ENGINE/SYSTEMS

- Battery charger
- Battery dual trays with switch
- Down rigger pre-wire
- Tilt steering
- Trim tabs, w/LED indicators

CONSOLE

- Head, electric toilet w/holding tank
- Head, overboard discharge
- Head, pump-out

T-TOPS

- Deluxe T-Top, LED lights, spreader lights & electronic box
- Fiberglass T-Top w/rod holders

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde
- EZ-loader aluminum w/brakes
- Spare tire & wheel, galvanized
- Wheels, aluminum

BOW SEATING PACKAGE

- Port, Starboard & Forward backrest cushions
- Port & Starboard seat cushions

FAMILY PACKAGE

- Bow fill-in cushions
- Bow forward facing backrest
- Bow seating package
- Bow table

SCARAB OFFSHORE PACKAGE

- Helm and rod locker mats
- Mat package, helm floor and rod storage
- Scarab Offshore graphics
- Tri-Tone gel scheme
- Upgrade cockpit interior
- Upgrade leaning post w/backrest or sport seating

SEASIDE TRIM PACKAGE

- Beige cockpit interior
- Flooring, sea grass
- Mat package, helm floor and rod storage
- Upgrade leaning post w/backrest, rod holders & cooler storage



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

241 FISHERMAN



SPECIFICATIONS

	US	METRIC
L.O.A.	24' 4"	7.40 m
Beam	8' 6"	2.59 m
Fuel Capacity	87 gal	329 L
Draft (drive up)	14"	35.56 cm
Draft (drive down)	31"	78.74 cm
Maximum Capacity	2500 lbs	1130 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3650-3850 lbs	1600-1750 kg
Maximum Horsepower	300 hp	224 kw
Deadrise	15°	15°
Bridge Clearance	8' 3"	2.51 m
Trailer Height w/Top	11'0"	3.35 m
Trailer Height w/o Top	8'11"	2.72 m

KEY SALES FEATURES

- Cleats pull-up
- Console changing room
- Fiberglass stringer
- Tackle storage curtains
- Powdercoat hardware
- Wellcraft custom trailer
- Cooler, carry on
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Evinrude® 200DPX	200	149	4180	1900
Evinrude® 250X G2	250	187	4310	1950
Evinrude® 300X G2	300	224	4310	1950
Mercury® 200XL Verado	200	149	4260	1930
Mercury® 250XL Verado	250	187	4420	2000
Mercury® 300XL Verado	300	224	4420	2000
Mercury® 300XL Verado White	300	224	4420	2000
Yamaha® F200XB	200	149	4240	1920
Yamaha® VF250XASHO	250	187	4310	1950
Yamaha® F250XCA	250	187	4310	1950
Yamaha® F300XCA	300	224	4310	1950

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Evinrude® 200DPX	14 3/4 x 17	37 X 43	SST	41-44	66-71	240	390
Evinrude® 250X G2	15 X 18	38 X 46	SST	45-48	72-77	260	420
Evinrude® 300X G2	15 X 18	38 X 46	SST	47-50	76-81	260	420
Mercury® 200XL Verado	15 1/2 X 17	39 X 43	SST	41-44	66-71	260	420
Mercury® 250XL Verado	15 1/2 X 17	39 X 43	SST	45-48	72-77	250	400
Mercury® 300XL Verado	15 3/8 X 18	39 X 46	SST	47-50	76-81	250	400
Yamaha® F200XB	14 1/2 X 15	37 X 38	SST	40-42	64-68	230	370
Yamaha® VF250XASHO	15 1/4 X 19	39 X 48	SST	44-47	71-76	260	420
Yamaha® F250XCA	15 1/4 X 19	39 X 48	SST	44-47	71-76	260	420
Yamaha® F300XCA	15 1/4 X 19	39 X 48	SST	47-50	76-81	250	400

FUEL FLOW DATA - 241F - EVINRUDE® 200DPX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	3	11
2500 rpm	8	13	5	19
3000 rpm	11	18	6	23
3500 rpm	26	42	7	26
4000 rpm	30	48	8	30
4500 rpm	35	56	10	38
5000 rpm	38	61	13	49
5500 rpm	41	66	16	60
WOT	43	69	18	68

**FUEL FLOW DATA - 241F - EVINRUDE® 250X G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	10	16	6	23
3000 rpm	22	35	7	26
3500 rpm	29	47	8	30
4000 rpm	34	55	12	45
4500 rpm	38	61	14	53
5000 rpm	42	68	18	68
5500 rpm	45	72	22	83
WOT	47	76	25	95

FUEL FLOW DATA - 241F - EVINRUDE® 300X G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	10	16	6	23
3000 rpm	23	37	7	26
3500 rpm	29	47	9	34
4000 rpm	35	56	13	49
4500 rpm	40	64	16	60
5000 rpm	43	69	21	79
5500 rpm	46	74	25	95
WOT	49	79	28	106

FUEL FLOW DATA - 241F - MERCURY® 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	9	14	5	19
3500 rpm	11	18	7	26
4000 rpm	25	40	8	30
4500 rpm	30	48	9	34
5000 rpm	34	55	11	42
5500 rpm	38	61	15	57
6000 rpm	41	66	16	60
WOT	43	69	19	72

**FUEL FLOW DATA - 241F - MERCURY® 250XL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	10	16	8	30
3500 rpm	18	29	9	34
4000 rpm	26	42	10	38
4500 rpm	31	50	12	45
5000 rpm	36	58	16	60
5500 rpm	41	66	20	76
6000 rpm	45	72	22	83
WOT	46	74	25	95

FUEL FLOW DATA - 241F - MERCURY® 300XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	11	42	8	30
3500 rpm	24	39	9	34
4000 rpm	30	48	11	42
4500 rpm	35	56	13	49
5000 rpm	39	63	18	68
5500 rpm	43	69	22	83
6000 rpm	47	76	25	95
WOT	49	79	28	106

FUEL FLOW DATA - 241F - YAMAHA® F200XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	7	11	2	8
2500 rpm	8	13	3	11
3000 rpm	10	16	6	23
3500 rpm	19	31	6	23
4000 rpm	27	43	8	30
4500 rpm	31	50	9	34
5000 rpm	35	56	13	49
5500 rpm	40	64	17	64
WOT	42	68	18	68

FUEL FLOW DATA - 241F - YAMAHA® F250XCA & VF250XA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	10	16	6	23
3000 rpm	23	37	7	26
3500 rpm	29	47	9	34
4000 rpm	34	55	12	45
4500 rpm	38	61	14	53
5000 rpm	42	68	19	72
5500 rpm	45	72	22	83
WOT	47	76	25	95

FUEL FLOW DATA - 241F - YAMAHA® F300XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	10	16	6	23
3000 rpm	23	37	7	26
3500 rpm	30	48	10	38
4000 rpm	35	56	13	49
4500 rpm	40	64	16	60
5000 rpm	44	71	21	79
5500 rpm	47	76	25	95
WOT	49	79	29	110

241 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Assist handles, stainless steel
- Bait well/live well, 40 gallon w/ bluecoat, light & timer, 2
- Beverage holder(s)
- Center bow two level dry storage
- Cooler, bow
- Cooler, carry-on, 72 qt
- Courtesy lights
- Deck lids w/stainless steel, latches gas assist

- Diamond pattern anti-skid
- Leaning post
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Tackle storage w/boxes
- Under rear seat storage

HELM

- 12 volt receptacle
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Battery on/off switch
- Bilge pump, automatic
- High speed live well pick-up
- Hydraulic steering (std on 135 hp and up)

CONSOLE

- Battery storage
- Changing room
- Rod holders
- Tackle storages curtains
- Windscreen, console

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde



241 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Underwater lights

COCKPIT

- Bait well, secondary fwd., 14 gal w/bluecoat & timer (rep. 56 qt. built in cooler)
- Leaning post, upgrade w/backrest, rod holders
- Mat package, helm floor and rod storage
- Seating, bow fishing
- Seating, bow sun lounge cushions w/backrest
- Sport seats

HELM

- Compass
- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo
- Fusion Stereo w/Deluxe T-Top
- Premium Sound system (Fusion stereo, JL audio amp, speakers and subwoofer)
- Premium Sound system w/Deluxe T-Top (Fusion stereo, JL audio amp, speakers and subwoofer)

ENGINE/SYSTEMS

- Battery charger
- Battery dual trays with switch
- Down rigger pre-wire
- Jack plate, hydraulic
- Power pole, 1 or 2
- Raw water wash down
- Tilt steering
- Trim tabs, w/LED indicators
- Trolling motor pre-wire
- Trolling motor, 24 volt

CONSOLE

- Head, porta pottie (NA Canada)

T-TOPS

- Deluxe T-Top, LED lights, spreader lights & electronic box
- Fiberglass T-Top w/rod holders

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover
- Eisenglass spray shields (T-Top only)

TRAILER

- EZ-loader aluminum w/brakes
- Spare tire & wheel, galvanized
- Wheels, aluminum

FAMILY PACKAGE

- Bow seating package
- Porta pottie (NA in Canada)

TOURNAMENT TRIM PACKAGE

- Mat package, helm floor and rod storage
- Tri-Tone gel scheme
- Tournament graphics
- Upgrade cockpit interior
- Upgrade leaning post w/backrest, rod holders

NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

242 FISHERMAN



SPECIFICATIONS

	US	METRIC
L.O.A.	24' 4"	7.42 m
Beam	8' 6"	2.59 m
Fuel Capacity	158 gal	598L
Draft (drive up)	16"	40.64 cm
Draft (drive down)	34"	86.36 cm
Maximum Capacity	3500 lbs	1588 kg
Persons Capacity	10	10
Approx. Boat & Engine Weight	4050 lbs	1840 kg
Maximum Horsepower	400 hp	298 kw
Deadrise	20°	20°
Bridge Clearance	8' 6"	2.59 m
Trailer Height w/Top:	11' 4"	3.46 m
Trailer Height w/o Top	9' 6"	2.90 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringer
- Powdercoat hardware
- Cooler, carry on
- Diamond pattern anti-skid
- Fishbox w/overboard drain
- Console changing room
- Porta pottie
- Tackle storage curtains
- Built-in bait/livewell

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Evinrude® 250Z G2	250	187	4620	2100
Evinrude® 300ZU G2	300	224	4670	2120
Twin Evinrude® 150DPX	150	112	4910	2230
Twin Evinrude® C200FX G2	200	149	5070	2300
Mercury® 250XXL Verado	250	187	4710	2140
Mercury® 300XXL Verado	300	224	4710	2140
Mercury® 300XXL Verado White	300	224	4710	2140
Mercury® 350XXL Verado	350	261	4710	2140
Mercury® 350XXL Verado White	350	261	4710	2140
Twin Mercury® 150XL 4S	150	113	4990	2260
Twin Mercury® 200XL Verado	200	149	5100	2310
Yamaha® F250UCA	250	187	4620	2100
Yamaha® F300UCA	300	224	4620	2100
Twin Yamaha® F150XB	150	112	5030	2280
Twin Yamaha® F200XCA	200	149	5030	2280

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Evinrude® 250Z G2	15 3/4 X 15	40 X 38	SST	43-46	69-74	440	270
Evinrude® 300ZU G2	15 1/2 X 17	39 X 43	SST	47-50	76-81	440	270
Twin Evinrude® 150DPX	14 3/4 X 19	37 X 48	SST	49-52	79-84	420	260
Twin Evinrude® C200FX G2	15 X 21	38 X 53	SST	54-57	87-92	430	270
Mercury® 250XXL Verado	15 3/4 X 15	40 X 38	SST	43-46	69-74	440	270
Mercury® 300XXL Verado	15 1/2 X 17	39 X 43	SST	47-50	76-81	440	270
Mercury® 350XXL Verado	15 1/2 X 17	39 X 43	SST	50-53	81-85	430	270
Twin Mercury® 150XL 4S	14 X 19	36 X 48	SST	49-52	79-84	420	260
Twin Mercury® 200XL Verado	14 3/4 X 21	37 X 53	SST	54-57	87-92	430	270
Yamaha® F250UCA	15 3/4 X 15	40 X 38	SST	43-46	69-74	420	260
Yamaha® F300UCA	15 1/2 X 17	39 X 43	SST	47-50	76-81	420	260
Twin Yamaha® F150XB	13 3/4 X 19	35 X 48	SST	48-51	77-82	400	250
Twin Yamaha® F200XCA	13 3/4 X 19	35 X 48	SST	53-56	85-90	400	250

**FUEL FLOW DATA - 242F - EVINRUDE® 250Z G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	10	16	7	26
3500 rpm	14	23	8	30
4000 rpm	29	47	9	30
4500 rpm	33	53	10	38
5000 rpm	37	60	14	53
5500 rpm	40	64	16	60
WOT	44	71	21	79

FUEL FLOW DATA - 242F - EVINRUDE® 300ZU G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	11	18	7	26
3500 rpm	15	24	9	34
4000 rpm	31	50	9	34
4500 rpm	36	58	11	42
5000 rpm	40	64	16	60
5500 rpm	44	71	18	68
WOT	47	76	24	91

FUEL FLOW DATA - 242F - TWIN EVINRUDE® 150DPX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	29	47	9	34
4000 rpm	33	53	11	42
4500 rpm	39	62	13	49
5000 rpm	42	68	18	68
5500 rpm	46	74	25	95
WOT	49	79	27	102

**FUEL FLOW DATA - 242F - TWIN EVINRUDE® C200FX**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	7	26
3000 rpm	23	37	8	30
3500 rpm	31	50	11	42
4000 rpm	38	61	15	57
4500 rpm	44	71	18	68
5000 rpm	49	79	24	91
5500 rpm	53	85	33	125
WOT	57	92	36	136

FUEL FLOW DATA - 242F - MERCURY® 250XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	5	19
3000 rpm	11	18	7	26
3500 rpm	16	26	9	34
4000 rpm	28	45	10	38
4500 rpm	33	53	13	49
5000 rpm	36	58	17	64
5500 rpm	39	63	19	72
6000 rpm	42	68	22	83
WOT	44	71	24	91

FUEL FLOW DATA - 242F - MERCURY® 300XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	5	13	3	11
2500 rpm	9	14	6	23
3000 rpm	11	18	8	30
3500 rpm	15	24	9	34
4000 rpm	30	48	11	42
4500 rpm	36	58	13	49
5000 rpm	39	63	18	68
5500 rpm	43	69	22	83
6000 rpm	45	72	25	95
WOT	48	77	28	106

**FUEL FLOW DATA - 242F - MERCURY® 350XXL VERADO**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	4	15
2500 rpm	9	14	6	23
3000 rpm	11	18	7	26
3500 rpm	16	26	9	34
4000 rpm	32	52	11	42
4500 rpm	38	61	14	53
5000 rpm	42	68	19	72
5500 rpm	46	74	26	98
6000 rpm	49	79	30	113
WOT	52	64	31	117

FUEL FLOW DATA - 242F - TWIN MERCURY® 150XL 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	7	26
3000 rpm	21	34	10	38
3500 rpm	29	47	12	45
4000 rpm	34	55	16	60
4500 rpm	40	64	20	76
5000 rpm	44	71	23	87
5500 rpm	48	77	26	98
WOT	49	79	28	106

FUEL FLOW DATA - 242F - TWIN MERCURY® 200XL

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	4	15
2500 rpm	10	16	6	23
3000 rpm	22	35	9	34
3500 rpm	29	47	11	42
4000 rpm	36	58	14	53
4500 rpm	41	66	17	64
5000 rpm	46	74	22	83
5500 rpm	50	81	28	106
6000 rpm	54	87	32	121
WOT	57	92	37	140

**FUEL FLOW DATA - 242F - YAMAHA® F250UCA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	10	16	7	26
3500 rpm	14	23	8	30
4000 rpm	29	47	10	38
4500 rpm	33	53	13	49
5000 rpm	37	60	16	60
5500 rpm	40	64	19	72
WOT	44	71	23	87

FUEL FLOW DATA - 242F - YAMAHA® F300UCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	8	13	3	11
2500 rpm	9	14	6	23
3000 rpm	10	16	7	26
3500 rpm	14	23	8	30
4000 rpm	30	48	11	42
4500 rpm	35	56	15	57
5000 rpm	39	63	19	72
5500 rpm	43	69	23	87
WOT	47	76	27	102

FUEL FLOW DATA - 242F - TWIN YAMAHA® F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	28	45	9	34
4000 rpm	33	53	10	38
4500 rpm	38	61	13	49
5000 rpm	42	68	18	68
5500 rpm	46	74	26	98
WOT	49	79	28	106

FUEL FLOW DATA - 242F - TWIN YAMAHA® F200XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000rpm	9	14	5	19
2500rpm	10	16	8	30
3000rpm	23	37	8	30
3500rpm	31	50	11	42
4000rpm	38	61	15	57
4500rpm	43	69	18	68
5000rpm	48	77	24	91
5500rpm	52	84	34	129
WOT	56	90	37	140

242 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow rails, stainless steel
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, aft transom mounted
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Assist handles, stainless steel
- Bait well/live well
- Bait well/live well, 40 gallon w/ bluecoat, light & timer, 1
- Bait well/live well, 17 gallon w/ bluecoat, light & timer, 1
- Beverage holder(s)
- Bolsters, cockpit
- Cooler, bow
- Cooler, carry-on, 72 qt
- Cooler, under leaning post (removable)
- Courtesy Lights

Deck lids w/stainless steel, latches gas assist

- Diamond pattern anti-skid
- Leaning post
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Tackle storage w/boxes

HELM

- 12 volt receptacle
- Compass
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Battery on/off switch
- Bilge pump, automatic
- High speed live well pick-up
 - Power assisted steering
 - Raw water wash down
 - Trim tabs, w/LED indicators

CONSOLE

- Battery storage
- Changing room
- Head, porta pottie (NA Canada)
- Port light
- Rod holders
- Tackle storages curtains
- Windscreen, console

242 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Bow anchor roller
- Gel scheme, solid color hull,
- w/water line, choice of color combination Gel scheme, two-tone, color choices
- Underwater lights
- Windlass, w/rope, chain and anchor

COCKPIT

- Transom cutting board w/tool holders
- Forward floor storage macerator
- Leaning post, upgrade w/backrest, rod holders
- Mat package, helm floor and rod storage
- Sport seats

HELM

- GPS plotter w/depth sounder

ENTERTAINMENT

- Fusion Stereo w/Deluxe T-Top Premium Sound system (Fusion stereo, JL audio amp, speakers and subwoofer)
- Premium Sound system w/Deluxe T-Top (Fusion stereo, JL audio amp, speakers and subwoofer)
- VHF radio (Garmin 100i)

ENGINE/SYSTEMS

- Battery charger
- Battery dual trays with switch
- Down rigger pre-wire
- Fresh water pkg, cockpit sink & transom shower
- Tilt steering

CONSOLE

- Head, electric toilet w/holding tank
- Head, overboard discharge

T-TOPS

- Deluxe T-Top, LED lights, spreader lights & electronic box
- Fiberglass T-Top w/rod holders

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde
- EZ-loader aluminum w/brakes
- Spare tire & wheel, galvanized
- Wheels, aluminum

BOW SEATING PACKAGE

- Port, Starboard & Forward backrest cushions
- Port & Starboard seat cushions

FAMILY PACKAGE

- Bow fill-in cushions
- Bow forward facing backrest
- Bow seating package
- Bow table

SCARAB OFFSHORE PACKAGE

- Helm and rod locker mats
- Mat package, helm floor and rod storage
- Scarab Offshore graphics
- Tri-Tone gel scheme
- Upgrade cockpit interior
- Upgrade leaning post w/backrest or sport seating

SEASIDE TRIM PACKAGE

- Beige cockpit interior
- Flooring, sea grass
- Mat package, helm floor and rod storage
- Upgrade leaning post w/backrest, rod holders & cooler storage

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

262 FISHERMAN



SPECIFICATIONS

	US	METRIC
L.O.A.	26' 4"	8.02 m
Beam	9' 0"	2.74 m
Fuel Capacity	158 gal	598 L
Draft (drive up)	20"	51 cm
Draft (drive down)	29"	74 cm
Maximum Capacity	Yacht	1700 kg
Persons Capacity	Yacht	10 CE
Approx. Boat & Engine Weight	5500 lbs	2520 kg
Maximum Horsepower	500 hp	373 kw
Deadrise	21°	21°
Bridge Clearance w/T-Top	8'8"	2.64 m
Trailer Height w/Top	11'9"	3.58 m
Trailer Height w/o Top	9'10"	3.00 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Raw water washdown
- Unique windshield design
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed Head
- Bow cooler
- Built-in bait/livewell

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Evinrude® 300ZU G2	300	224	6260	2840
Twin Evinrude® 150 DPX	150	112	6580	2980
Twin Evinrude® C200FX G2	200	149	6700	3040
Twin Evinrude® E250X G2	250	187	6820	3090
Mercury® 300XXL Verado	300	224	6360	2890
Mercury® 300XXL Verado White	300	224	6360	2890
Mercury® 350XXL Verado	350	261	6360	2890
Mercury® 350XXL Verado White	350	261	6360	2890
Twin Mercury® 150XL 4S	150	113	6640	3010
Twin Mercury® 200XL Verado	200	149	6740	3060
Twin Mercury® 250XL Verado	250	187	7020	3180
Yamaha® F300UCA	300	224	6280	2850
Twin Yamaha® F150XB	150	112	6680	3030
Twin Yamaha® F200XCA	200	149	6680	3030
Twin Yamaha® F250XCA	250	187	6840	3100

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch) IN	Pitch CM	Type	Top Speed		Cruise Range	
				MPH	KPH	MI	KM
Evinrude® 300ZU G2	15 3/4 X 15	40 X 38	SST	42-45	68-72	300	190
Twin Evinrude® 150 DPX	14 3/4 X 19	37 X 48	SST	44-47	71-76	290	180
Twin Evinrude® C200FX	15 X 21	38 X 53	SST	52-55	84-89	280	170
Twin Evinrude® E250X	15 X 22	38 X 56	SST	57-60	92-97	270	170
Mercury® 300XXL Verado	15 1/2 X 15	39 X 38	SST	42-45	68-72	300	190
Mercury® 350XXL Verado	15 1/2 X 15	39 X 38	SST	45-48	72-77	300	190
Twin Mercury® 150XL 4S	14 X 19	36 X 48	SST	44-47	71-76	280	170
Twin Mercury® 200XL Verado	14 3/4 X 21	37 X 53	SST	52-55	84-89	280	170
Twin Mercury® 250XL Verado	14 3/4 X 21	37 X 53	SST	57-60	92-97	270	170
Yamaha® F300UCA	15 3/4 X 15	40 X 38	SST	42-45	68-72	300	190
Twin Yamaha® F150XB	14 1/4 X 17	36 X 43	SST	44-47	71-76	270	170
Twin Yamaha® F200XCA	13 3/4 X 19	35 X 48	SST	52-55	84-89	260	160
Twin Yamaha® F250XCA	15 X 21	38 X 53	SST	57-60	92-97	270	170

**FUEL FLOW DATA - 262F - EVINRUDE® 300ZU G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	13	21	9	34
4000 rpm	28	45	11	42
4500 rpm	32	52	14	53
5000 rpm	37	60	17	64
5500 rpm	41	66	21	79
WOT	44	71	23	87

FUEL FLOW DATA - 262F - TWIN EVINRUDE® 150DPX

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	27	43	9	34
4000 rpm	32	52	10	38
4500 rpm	36	58	13	49
5000 rpm	40	64	17	64
5500 rpm	43	69	23	87
WOT	46	74	26	98

FUEL FLOW DATA - 262F - TWIN EVINRUDE® C200PX G2

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	4	15
2500 rpm	10	16	6	23
3000 rpm	22	35	9	34
3500 rpm	29	47	11	42
4000 rpm	36	58	14	53
4500 rpm	41	66	17	64
5000 rpm	46	74	22	83
5500 rpm	50	81	28	106
6000 rpm	54	87	32	121
WOT	57	92	37	140

**FUEL FLOW DATA - 262F - TWIN EVINRUDE® 250X G2**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	7	26
2500 rpm	10	16	10	38
3000 rpm	14	23	12	45
3500 rpm	32	52	16	60
4000 rpm	39	63	21	79
4500 rpm	46	74	26	98
5000 rpm	51	82	32	121
5500 rpm	56	90	39	147
WOT	59	95	46	174

FUEL FLOW DATA - 262F - MERCURY® 300XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	13	21	9	34
4000 rpm	26	42	12	45
4500 rpm	31	50	15	57
5000 rpm	34	55	18	68
5500 rpm	38	61	20	76
6000 rpm	41	66	23	87
WOT	44	71	26	98

FUEL FLOW DATA - 262F - MERCURY® 350XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	14	23	10	38
4000 rpm	27	43	14	53
4500 rpm	33	53	17	64
5000 rpm	36	58	21	79
5500 rpm	41	66	24	91
6000 rpm	44	71	27	102
WOT	47	76	31	117

**FUEL FLOW DATA - 262F - TWIN MERCURY® 150XL 4S**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	27	43	9	34
4000 rpm	32	52	10	38
4500 rpm	36	58	13	49
5000 rpm	40	64	18	68
5500 rpm	44	71	25	95
WOT	46	74	28	106

FUEL FLOW DATA - 262F - TWIN MERCURY® 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	7	26
3000 rpm	13	21	9	34
3500 rpm	33	53	14	53
4000 rpm	36	58	15	57
4500 rpm	43	69	18	68
5000 rpm	47	76	24	91
5500 rpm	50	81	31	117
6000 rpm	52	84	34	129
WOT	54	87	39	147

FUEL FLOW DATA - 262F - TWIN MERCURY® 250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	6	23
2500 rpm	10	16	11	42
3000 rpm	13	21	16	60
3500 rpm	34	55	18	68
4000 rpm	38	61	23	87
4500 rpm	45	72	29	109
5000 rpm	50	81	37	140
5500 rpm	54	87	44	166
6000 rpm	57	92	49	185
WOT	59	96	52	197

**FUEL FLOW DATA - 262F - YAMAHA® F300UCA**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	13	21	9	34
4000 rpm	28	45	12	45
4500 rpm	33	53	15	57
5000 rpm	36	58	18	68
5500 rpm	40	64	22	83
WOT	44	71	25	96

FUEL FLOW DATA - 262F - TWIN YAMAHA® F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	27	43	9	34
4000 rpm	32	52	10	38
4500 rpm	36	58	13	49
5000 rpm	40	64	18	68
5500 rpm	43	69	25	95
WOT	46	74	28	106

FUEL FLOW DATA - 262F - TWIN YAMAHA® F200XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	8	30
3000 rpm	23	37	8	30
3500 rpm	30	48	11	42
4000 rpm	37	60	15	57
4500 rpm	41	67	18	68
5000 rpm	46	74	25	95
5500 rpm	49	79	34	129
WOT	53	85	37	140

FUEL FLOW DATA - 262F - TWIN YAMAHA® F250XCA

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	7	26
2500 rpm	10	16	10	38
3000 rpm	14	23	12	45
3500 rpm	33	53	17	64
4000 rpm	40	64	22	83
4500 rpm	46	74	27	102
5000 rpm	52	84	34	128
5500 rpm	56	90	42	159
WOT	59	96	50	183

262 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, stainless steel
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, aft transom mounted
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- 5 gallon bucket in holder
- Assist handles, stainless steel
- Bait well/live well
- Bait well/live well, 23 gallon w/bluecoat
- Bait well/live well, 17 gallon w/bluecoat, light & timer
- Beverage holder(s)
- Bolsters, cockpit
- Cooler, bow
- Cooler, under leaning post (removable)
- Courtesy Lights

Deck lids w/stainless steel, latches gas assist

- Diamond pattern anti-skid
- Forward floor storage macerator
- Leaning post, upgrade w/backrest, rod holders
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Tackle storage w/boxes

HELM

- 12 volt receptacle
- Compass
- Steering wheel, stainless w/knob

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Battery dual trays with switch
- Bilge pump, automatic
- High speed live well pick-up
- Power assisted steering
- Raw water wash down
- Trim tabs

STANDARDS - CONT

CONSOLE

- Battery storage
- Changing room
- Head, porta pottie (NA Canada)
- Port light
- Rod holders
- Tackle storages curtains
- Windscreen, console

T-TOPS

- Fiberglass T-Top w/rod holders

262 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Dive door
- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Ladder, Retractable (Starboard)
- Underwater lights
- Windlass, w/rope, chain and anchor

COCKPIT

- Cockpit Marine Mat
- Transom cutting board w/tool holders
- Leaning post, baitwell, cutting board & storage
- Mat package, helm floor and rod storage
- Storage trays, aft, tilt out
- Storage trays, forward, tilt out

HELM

- GPS plotter w/depth sounder

ENTERTAINMENT

- Premium Sound system (Fusion stereo, JL audio amp, speakers and subwoofer)
- VHF radio (Garmin 100i)

ENGINE/SYSTEMS

- Battery charger
- Down rigger pre-wire
- Fresh water pkg, cockpit sink & transom shower
- Tilt steering

CONSOLE

- Head, electric toilet w/holding tank
- Head, overboard discharge

T-TOPS

- Deluxe T-Top, LED lights, spreader lights & electronic box

CANVAS

- Console cover

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde
- EZ-loader aluminum w/brakes
- Spare tire & wheel, galvanized
- Wheels, aluminum

BOW SEATING PACKAGE

- Port, Starboard & Forward backrest cushions
- Port & Starboard seat cushions

FAMILY PACKAGE

- Bow fill-in cushions
- Bow forward facing backrest
- Bow seating package
- Bow table



OPTIONS - CONT

SCARAB OFFSHORE PACKAGE

- Helm and rod locker mats
- Mat package, helm floor and rod storage
- Scarab Offshore graphics
- Tri-Tone gel scheme
- Upgrade cockpit interior

SEASIDE TRIM PACKAGE

- Beige cockpit interior
- Flooring, sea grass
- Mat package, helm floor and rod storage
- Upgrade leaning post w/ backrest, rod holders & cooler storage



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN



**SCARAB
OFFSHORE
TOURNAMENT**

30 SCARAB® OFFSHORE TOURNAMENT



SPECIFICATIONS	US	METRIC
L.O.A.	30' 2"	9.19 m
Beam	9' 2"	2.79 m
Fuel Capacity	268 gal	1015 L
Draft (drive up)	23"	58 cm
Draft (drive down)	31"	79 cm
Maximum Capacity	Yacht	1500 kg
Persons Capacity	Yacht	8
Approx. Boat & Engine Weight	6635 lbs	3010 kg
Water Capacity	13 gal	49 L
Maximum Horsepower	600 hp	447 kw
Deadrise	23°	23°
Bridge Clearance	8' 10"	2.73 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Tackle center/rigging station

POWER OPTIONS

Twin Evinrude®	E250DPX
Twin Evinrude®	E250X G2
Twin Evinrude®	E 300XU G2
Twin Mercury®	250XL Verado
Twin Mercury®	300XL Verado
Twin Mercury®	300XL Verado Warm White
Twin Yamaha®	F250XCA
Twin Yamaha®	F250XCA Helm Master
Twin Yamaha®	F300XCA
Twin Yamaha®	F300 XCA Helm Master

30 SCARAB® OFFSHORE TOURNAMENT / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow rails, powder coated
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, heavy duty, dive
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame
- Diamond pattern anti-skid
- Leaning post
- Rod storage, gunnel
- Seats, aft
- Seating, forward console
- Seating, forward console cooler w/backrest
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Storage/Fishbox w/overboard drain
- Tackle storage w/boxes

CABIN

- Head
- Power ventilation
- Porta pottie (NA Canada)

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

ENTERTAINMENT

- Fusion Stereo

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Bolsters, cockpit
- Cooler
- Courtesy Lights
- Cutting board

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Dockside water connection
- Freshwater system
- Fresh water pkg, cockpit sink & transom shower



STANDARDS - CONT

- Hydraulic steering (std on 135 hp and up)
- Raw water wash down
- T-TOPS
 - T-Top: canvas, PFD storage, rod holders & spreader light
 - T-Top electronics box

CONSOLE

- Port light
- Tackle center/rigging station aft (replaces STD aft baitwell)

30 SCARAB® OFFSHORE TOURNAMENT / OPTIONS

HULL AND DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Rod holders, gunnel mount, additional
- Scarab Logo Upgrade
- Underwater lights
- Windlass, w/rope, chain and anchor
- Windshield wiper/washer system

COCKPIT

- Bait well station, additional baitwell, pull-out drawers & tackle storage
- Bow table
- Remote spotlight
- Seating, bolster, double drop out w/aft facing seat
- Seating, bow cushion
- Seating, bow cushion forward filler & sunpad

ENTERTAINMENT

- Stereo upgrade: premium sound system w/amplifier, subwoofer, & upgrade speakers

ENGINE/SYSTEMS

- Battery charger
- Power assisted steering
- Trim tabs

CONSOLE

- Head, overboard discharge
- Head, pump-out

T-TOPS

- Outriggers: taco grand slam top mount
- T-Top canvas enclosure

RAY MARINEES127 ELECTRONICS PACKAGE

- (2) 12" Multifunction color displays w/GPS, chartplotter & HDFI fish finder
- High performance 1KW in-hull transducer
- Ray Marine Radar: 4KW Digital Raydome
- Ray Marine Radar: 4KW Open Array
- Ray 50Modular system
- Video/instrumentation integration capabilities
- VHF radio



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

35 SCARAB® OFFSHORE TOURNAMENT



SPECIFICATIONS	US	METRIC
L.O.A.	35' 4"	10.76 m
Beam	9' 11"	3.02 m
Fuel Capacity	376 gal	1423 L
Draft (drive up)	23"	58 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	Yacht	1288 kg
Persons Capacity	Yacht	11
Approx. Boat & Engine Weight	8600 lbs	3901 kg
Water Capacity	13 gal	49 L
Maximum Horsepower	1050 hp	783 kw
Deadrise	23°	23°
Draft Down Triple	39"	96 cm
Bridge Clearance w/T-top	8' 4"	2.54 m
Bridge Clearance w/Sport Arch	7'11"	2.41 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Tackle center/rigging station

POWER OPTIONS

Triple Evinrude*	E300XU G2
Twin Mercury*	300XXL Verado
Twin Mercury*	300XL Verado Warm White
Twin Mercury*	350XL Verado
Twin Mercury*	350XXL Warm White Verado
Triple Mercury*	300 Verado
Triple Mercury*	300 Verado Warm White
Triple Mercury*	350 Verado
Triple Mercury*	350 Verado Warm White
Triple Mercury*	350 Verado JPO
Triple Mercury*	350 Verado Warm White JPO
Twin Yamaha*	F300UCA
Twin Yamaha*	F350UCC
Twin Yamaha*	F350UCC Helm Master
Triple Yamaha*	F300XCA
Triple Yamaha*	F350XCC

35 SCARAB® OFFSHORE TOURNAMENT / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, powder coated
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, heavy duty, dive
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame
- Beverage holder(s)
- Bolsters, cockpit
- Cooler
- Courtesy Lights
- Cutting board
- Diamond pattern anti-skid
- Leaning post
- Rod storage, gunnel
- Seats, aft
- Seating, forward console
- Seating, forward console cooler w/backrest
- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Tackle storage w/boxes

CABIN

- Head
- Power ventilation
- Porta pottie (NA Canada)
- Shower

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

COCKPIT

- Assist handles, powder coated
- Bait well/live well

ENTERTAINMENT

- Fusion Stereo



STANDARDS - CONT

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Bilge pump, automatic
- Dockside power
- Dockside water connection
- Freshwater system
- Fresh water pkg, cockpit sink & transom shower
- Hydraulic steering (std on 135 hp and up)
- Raw water wash down

CONSOLE

- Port light
- Tackle center/rigging station aft (replaces STD aft baitwell)

T-TOPS

- T-Top: canvas, PFD storage, rod holders & spreader light
- T-Top electronics box

35 SCARAB® OFFSHORE TOURNAMENT / OPTIONS

HULL AND DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Rod holders, aft transom mounted
- Scarab Logo Upgrade
- Underwater lights
- Windlass, w/rope, chain and anchor

ENGINE/SYSTEMS

- Power assisted steering
- Trim tabs

CONSOLE

- Head, overboard discharge
- Head, pump-out

T-TOPS

- Outriggers: taco grand slam top mount
- T-Top canvas enclosure

COCKPIT

- Bait well station, additional baitwell, pull-out drawers & tackle storage
- Remote spotlight
- Seating, bolster, double drop out w/aft facing seat
- Seating, bow cushion
- Seating, bow cushion forward filler & sunpad
- Entertainment
- Stereo upgrade: premium sound system w/amplifier, subwoofer, & upgrade speakers

RAY MARINE ES127 ELECTRONICS PACKAGE

- (2) 12" Multifunction color displays w/GPS, chartplotter & HDI fish finder
- High performance 1KW in-hull transducer
- Ray Marine Radar: 4KW Digital Raydome
- Ray Marine Radar: 4KW Open Array
- Ray 50 Modular system
- Video/instrumentation integration capabilities
- VHF radio



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN



SPORTSMAN

180 SPORTSMAN



SPECIFICATIONS	US	METRIC
L.O.A.	18' 0"	5.48 m
Beam	8' 0"	2.44 m
Fuel Capacity	51 gal	193 L
Draft (drive up)	15"	38 cm
Draft (drive down)	32"	81 cm
Maximum Capacity	1650 lbs	748 kg
Persons Capacity	6	6
Approx. Boat & Engine Weight	2085 lbs	964 kg
Maximum Horsepower	150 hp	111.9 kw
Deadrise	20°	20°
Bridge Clearance	4' 5"	1.37 m
Bridge Clearance w/Bimini	6'7"	2.01 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Unique windshield design
- Swim platform w/ladder
- Built-in bait/livewell

POWER OPTIONS

Evinrude*	E115DSL
Evinrude*	E135 HO HSL
Evinrude*	E150DSL
Mercury*	115ELPT 4S
Mercury*	150 Pro XS Optimax
Mercury*	150L 4S
Yamaha*	F115LB
Yamaha*	F150LB

180 SPORTSMAN / STANDARDS

HULL/DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Cleats, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame

HELM

- 12 volt receptacle
- Compass
- Instrumentation: tachometer, fuel, trim and speedometer
- Steering wheel, stainless w/ knob

ENGINE/SYSTEMS

- Bilge pump, automatic

COCKPIT

- Assist handles, stainless steel
- Beverage holder(s)
- Cooler
- Courtesy Lights
- Diamond pattern anti-skid
- Rod storage, gunnel
- Seats, aft
- Seating, pedestal w/cushions
- Self bailing cockpit
- Storage/Fishbox w/overboard drain



180 SPORTSMAN / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices

TOW SPORTS

- Ski pylon

COCKPIT

- Bait well/live well
- Bolsters, cockpit
- Seating, back to back lounge, port with storage
- Seating, bow cushion
- Snap-in carpet (only with fishing pkg or port lounge)

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Hydraulic steering (std on 135 hp and up)

CANVAS

- Bimini Top (NA w/T-Top)
- Bow and cockpit cover

TRAILER

- EZ-loader aluminum w/brakes
- EZ-loader galvanized w/brakes

FISHING PACKAGE

- Port pedestal seat w/fish box
- Raw water wash down
- Rod boxes at port & stbd



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

220 SPORTSMAN



SPECIFICATIONS

	US	METRIC
L.O.A.	21' 0"	6.4 m
Beam	8' 6"	2.59 m
Fuel Capacity	103 gal	390 L
Draft (drive up)	17"	43 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	2100 lbs	952 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3741 lbs	1670 kg
Maximum Horsepower	250 hp	187 kw
Deadrise	19°	19°
Bridge Clearance	6' 1"	1.85 m
Bridge Clearance w/T-top	8' 0"	2.44 m

KEY SALES FEATURES

- Cleats pull-up
- Fiberglass stringers
- Rod holders, gunnel mount
- Cooler
- Diamond pattern anti-skid
- Self bailing cockpit
- Fishbox w/overboard drain
- Unique windshield design
- Swim platform w/ladder
- Built-in bait/livewell

POWER OPTIONS

Evinrude™	E200DPX
Evinrude™	E250DPX
Mercury™	200XL Verado
Yamaha™	F200XB
Yamaha™	F250XA SHO
Yamaha™	F250XCA

220 SPORTSMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, stainless steel
- Cleats, pull-up, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame

- Seats, aft
- Seating, bow cushion
- Seating, pedestal w/cushions
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Storage/Fishbox w/overboard drain
- Tackle storage w/boxes

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob
- Engine/Systems
- Batteries dual w/on-off switch
- Bilge pump, automatic
- Hydraulic steering (std on 135 hp and up)
- Raw water wash down

CONSOLE

- Head, Porta pottie (NA Canada)

CANVAS

- Bimini Top (NA w/T-Top)

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Cooler
- Courtesy Lights
- Diamond pattern anti-skid
- Rod storage, gunnel



220 SPORTSMAN / OPTIONS

HULL/DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices

TOW SPORTS

- Ski Pylon

COCKPIT

- Bait well, cushion
- Bolsters, cockpit
- Lounge seat, back to back (port) w/36qt cooler

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Fresh water pkg, cockpit sink & transom shower
- Trim tabs

CONSOLE

- Head, pump-out

TRAILER

- EZ-loader aluminum w/brakes
- EZ-loader galvanized w/brakes



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN



COASTAL

220 COASTAL®



SPECIFICATIONS

	US	METRIC
L.O.A.	21'0"	6.4 m
Beam	8' 6"	2.59 m
Fuel Capacity	103 gal	390 L
Draft (drive up)	17"	43 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	2100 lbs	952 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3575 lbs	1626 kg
Water Capacity	5 gal	19 L
Maximum Horsepower	250 hp	187 kw
Deadrise	19°	19°
Bridge Clearance w/Bimini	7' 0"	2.13 m
Bridge Clearance w/Hardtop	7' 11"	2.41 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cabin door, lockable
- Unique windshield design
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Built-in bait/livewell

POWER OPTIONS

Evinrude®	E200DPX
Evinrude®	E250DPX
Mercury®	200XL Verado
Yamaha®	F200XB
Yamaha®	VF250XA SHO
Yamaha®	F250XCA

220 COASTAL® / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, aluminum
- Cleats, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame

CABIN

- Berth w/cushions
- Cabin door, lockable
- Head
 - Porta pottie (NA Canada)

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Hydraulic steering (std on 135 hp and up)

COCKPIT

- Assist handles, powder coated
- Beverage holder(s)
- Courtesy Lights
- Rod storage, gunnel
- Seating, pedestal w/cushions
- Self bailing cockpit
- Tackle storage w/boxes



220 COASTAL® / OPTIONS

HULL AND DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Windshield wiper/washer system *(Washer system NA)

COCKPIT

- Bait well/live well
- Bolsters, cockpit
- Seating, jump seat cushions, port & starboard

CABIN

- Dinette table w/v-berth filler cushion
- Galley
 - Stove, butane (N/A w/CE pkg)
- Head
 - Pump-out

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Battery charger
- Trim tabs

CONSOLE

- Tackle center/rigging station aft (replaces STD aft baitwell)

T-TOPS

- Hardtop, w/rod holders

CANVAS

- Canvas pkg for bimini top
- Canvas pkg for hard top (requires hard top)

TRAILER

- EZ-loader aluminum w/brakes
- EZ-loader galvanized w/brakes

GALLEY PACKAGE

- Sink w/pressurized fresh water system
- Transom shower



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

232 COASTAL®



SPECIFICATIONS	US	METRIC
L.O.A.	22' 4"	6.81 m
Beam	8' 8"	2.64 m
Fuel Capacity	11.6 gal	439 L
Draft (drive up)	15"	38 cm
Draft (drive down)	32"	81 cm
Maximum Capacity	3200 lbs	1450 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	3600 lbs	1633 kg
Water Capacity	8 gal	30 L
Maximum Horsepower	300 hp	224 kw
Deadrise	20°	20°
Bridge Clearance	6' 0"	1.83 m
Bridge Clearance w/Bimini	8' 0"	2.43 m
Bridge Clearance w/Hardtop	8'1"	2.44 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cabin door, lockable
- Unique windshield design
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Built-in bait/livewell

POWER OPTIONS

Evinrude®	E200DPX
Evinrude®	E250DPX
Evinrude®	E250X G2
Mercury®	200XL Verado
Mercury®	250XL Verado
Mercury®	300XL Verado
Mercury®	300XL Verado Warm White
Yamaha®	F200XA
Yamaha®	VF250XA SHO
Yamaha®	F250XCA
Yamaha®	F300XCA

232 COASTAL® / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, aluminum
- Cleats, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame
- Windshield wiper

- Cutting board
- Rod storage, gunnel
- Seats, aft
- Seating, pedestal w/cushions
- Self bailing cockpit
- Storage/Fishbox w/overboard drain
- Tackle storage w/boxes

CABIN

- Berth w/cushions
- Cabin door, lockable
- Dinette table
- Galley
- Pressure water system
- Head
- Porta pottie (NA Canada)

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Hydraulic steering (std on 135 hp and up)
- Raw water wash down

T-TOPS

- Hardtop, w/rod holders

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Courtesy Lights



232 COASTAL® / OPTIONS

HULL AND DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Ladder, heavy duty, dive

COCKPIT

- Bolsters, cockpit
- Seating, jump seat cushions, port & starboard

CABIN

- Dinette table w/v-berth filler cushion
- Galley
 - Stove, butane (N/A w/CE pkg)
- Head
 - Pump-out

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Battery charger
- Fresh water pkg & transom shower
- Trim tabs

CANVAS

- Bimini Top (NA w/T-Top)
- Canvas pkg for bimini top
- Canvas pkg for hard top (requires hard top)

TRAILER

- EZ-loader aluminum w/brakes
- EZ-loader galvanized w/brakes

ENCLOSED FRP HARDTOP PACKAGE (replaces std hardtop & windshield)

- Defroster & spreader light
- Fiberglass hardtop w/rod holders
- Full windshield w/opening vents
- Isinglass aft closure curtain
- Two overhead dome lights

GARMIN ELECTRONICS PACKAGE

- 740S multi-function 7" color display w/GPS
- Chartplotter/fish finder
- VHF radio



NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

252 COASTAL®



SPECIFICATIONS

	US	METRIC
L.O.A.	24' 4"	7.42 m
Beam	8' 9"	2.66 m
Fuel Capacity	133 gal	503 L
Draft (drive up)	16"	41 cm
Draft (drive down)	30"	75 cm
Maximum Capacity	3200 lbs	1450 kg
Persons Capacity	8	8
Approx. Boat & Engine Weight	4360 lbs	1978 kg
Water Capacity	9 gal	34 L
Maximum Horsepower	400 hp	298 kw
Deadrise	20°	20°
Bridge Clearance w/Hardtop	8'2"	2.49 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cabin door, lockable
- Unique windshield design
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Built-in bait/livewell

POWER OPTIONS

Evinrude®	E250DPZ
Evinrude®	E250Z G2
Twin Evinrude®	E150DPX
Twin Evinrude®	E200DPX
Mercury®	250XXL Verado
Mercury®	300XXL Verado
Mercury®	300XXL Verado Warm White
Twin Mercury®	150XL 4S
Twin Mercury®	200XL Verado
Yamaha®	F250UCA
Yamaha®	F300UCA
Twin Yamaha®	F150XB
Twin Yamaha®	F200XCA

252 COASTAL® / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, aluminum
- Cleats, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame
- Windshield wiper

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Bolsters, cockpit
- Courtesy Lights
- Cutting board
- Rod storage, gunnel
- Seats, aft
- Seating, pedestal w/cushions
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Storage/Fishbox w/overboard drain
- Tackle storage w/boxes

CABIN

- Berth w/cushions
- Cabin door, lockable
- Dinette table
- Galley
- Pressure water system
- Head
- Porta pottie (NA Canada)



STANDARDS - CONT

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/ knob

- Freshwater system
- Hydraulic steering (std on 135 hp and up)
- Raw water wash down
- Trim tabs

ENGINE/SYSTEMS

- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Dockside water connection

T-TOPS

- Hardtop, w/rod holders

252 COASTAL* / OPTIONS

HULL AND DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Windlass, w/rope, chain and anchor

TRAILER

- EZ-loader aluminum w/brakes
- EZ-loader galvanized w/brakes

COCKPIT

- Snap-in carpet (only with fishing pkg or port lounge)

DIVE PACKAGE

- Fresh water transom shower
- Heavy duty dive ladder

CABIN

- Galley
 - Stove, butane (N/A w/CE pkg)
- Head
 - Overboard discharge
 - Vacu-Flush w/holding tank

ENCLOSED FRP HARDTOP

PACKAGE (replaces std hardtop & windshield)

- Defroster & spreader light
- Fiberglass hardtop w/rod holders
- Full windshield w/opening vents
- Isinglass aft closure curtain
- Two overhead dome lights

ENTERTAINMENT

- Fusion Stereo

GARMIN ELECTRONICS PACKAGE

- 740S multi-function 7" color display w/GPS
- Chartplotter/fish finder
- VHF radio

ENGINE/SYSTEMS

- Battery charger
- Canvas
- Canvas pkg for hard top (requires hard top)

NOTES

* Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

* Specifications, options, and equipment are subject to change without notice.

290 COASTAL®



SPECIFICATIONS	US	METRIC
L.O.A.	30' 2"	9.19 m
Beam	10' 5"	3.20 m
Fuel Capacity	210 gal	795 L
Draft (drive up)	22"	56 cm
Draft (drive down)	33"	84 cm
Maximum Capacity	Yacht	1922 kg
Persons Capacity	Yacht	11
Approx. Boat & Engine Weight	8735 lbs	3962 kg
Water Capacity	42 gal	159 L
Maximum Horsepower	600 hp	447 kw
Deadrise	18°	18°
Bridge Clearance	7'3"	2.2 m
Bridge Clearance w/Bimini Top	8'3"	2.51 m
Bridge Clearance w/Hardtop	9'0"	2.74 m

KEY SALES FEATURES

- Cleats, stainless steel
- Fiberglass stringers
- Rod holders, gunnel mount
- Cabin door, lockable
- Unique windshield design
- Self bailing cockpit
- Fishbox w/overboard drain
- Enclosed head
- Swim platform w/ladder
- Built-in bait/livewell

290 COASTAL® / POWER OPTIONS

Twin Evinrude®	E250DPX
Twin Evinrude®	E250X G2
Twin Mercury®	250XL Verado
Twin Mercury®	300XL Verado
Twin Mercury®	300XL Verado Warm White
Twin Yamaha®	F250XCA
Twin Yamaha®	F250XCA Helm Master
Twin Yamaha®	F300XCA
Twin Yamaha®	F300XCA Helm Master

290 COASTAL® / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow anchor roller
- Bow rails, aluminum
- Cleats, stainless steel
- Deck hatch
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Gel accent stripe: choice of three colors
- Grab rails, powder coated
- Horn, stainless steel
- Ladder, heavy duty, dive
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Swim platform w/ladder
- Thru hull fittings, stainless steel
- Windshield, w/walk-thru, full aluminum frame

- Rod storage, gunnel
- Seats, aft
- Seating, pedestal w/cushions
- Self bailing cockpit
- Storage/Fishbox w/macerator and overboard drain
- Tackle storage w/boxes

CABIN

- Berth w/cushions
- Cabin, aft
- Cabin door, lockable
- Dinette table
- Galley
 - Microwave
 - Pressure water system
 - Refrigerator
 - Sink
 - Solid surface countertop w/sink
 - Stove, electric
- Hanging locker
- Head
 - Full length mirror
 - Power ventilation
 - Shower
 - Vacu-Flush w/holding tank
 - Vanity-sink and storage

COCKPIT

- Assist handles, powder coated
- Bait well/live well
- Beverage holder(s)
- Bolsters, cockpit
- Courtesy Lights
- Cutting board

HELM

- 12 volt receptacle
- Compass
- Instrumentation, full digital
- Steering wheel, stainless w/knob



STANDARDS - CONT

ENTERTAINMENT

- Fusion Stereo

ENGINE/SYSTEMS

- Battery charger
- Batteries dual w/on-off switch
- Bilge pump, automatic
- Detector, carbon monoxide
- Dockside power
- Dockside water connection
- Freshwater system
- Fresh water pkg & transom shower

- Hydraulic steering (std on 135 hp and up)
- Raw water wash down
- Trim tabs
- Water heater

T-TOPS

- Hardtop, w/rod holders

290 COASTAL® / OPTIONS

HULL AND DECK

- Gel scheme, solid color hull, w/water line, choice of color combination
- Gel scheme, two-tone, color choices
- Rod holders, aft transom mounted
- Windlass, w/rope, chain and anchor
- Windshield wiper/washer system

COCKPIT

- Dive tank storage racks
- Remote spotlight
- Snap-in carpet (only with fishing pkg or port lounge)

CABIN

- Cabin floor, chemclad teak & holly
- Head
- Overboard discharge

ENTERTAINMENT

- LCD TV/DVD w/TV telephone Inlet & Antenna (N/A w/220 V or CE pkg)
- Stereo upgrade package: cockpit subwoofer, power amp & 2 add. Speakers

ENGINE/SYSTEMS

- Air conditioning/heating
- Fire extinguishing system
- Fuel tank, extra (N/A w/ generator)
- Generator
- Power assisted steering

T-TOPS

- Outriggers: taco grand slam top mount

COCKPIT SEATING PACKAGE

- Starboard baitwell & portside storage box cushions (removable)

RAY MARINE ES127 ELECTRONICS PACKAGE

- (2) 12" Multifunction color displays w/GPS, chartplotter & HDFI fish finder
- High performance 1KW in-hull transducer
- Ray 50Modular system
- Video/instrumentation integration capabilities
- VHF radio

NOTES

• Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

• Specifications, options, and equipment are subject to change without notice.

MADE FOR FISHERMEN BY FISHERMEN

221 FISHERMAN TANDEM AXLE TRAILER

SPECIFICATIONS	US	METRIC
Trailer length w/ Tongue Folded	23' 6"	7.163 m
Trailer length w/ Tongue Folded	20' 10"	6.35 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1167 LBS	529.3 kg
Carrying Capacity	5833 LBS	2646 kg
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 kg
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 kg
Tire Size / Range	ST 205/75R14C RADIAL	ST205/75R14C RADIAL
Tire Pressure	50 PSI COLD	350 KPA COLD
Tire Capacity	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	GALVANIZED	GALVANIZED
Jack Capacity	1500 LBS	680 kg
Winch	2600 LBS	1179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

222 FISHERMAN TANDEM AXLE TRAILER

SPECIFICATIONS	US	METRIC
Trailer length w/ Tongue Folded	24' 4"	7.417 m
Trailer length w/ Tongue Folded	21' 8"	6.604 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1168 LBS	529.8 kg
Carrying Capacity	5832 LBS	2645 kg
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 kg
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 kg
Tire Size / Range	ST 205/75R14C RADIAL	ST205/75R14C RADIAL
Tire Pressure	50 PSI COLD	350 KPA COLD
Tire Capacity	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	GALVANIZED	GALVANIZED
Jack Capacity	1500 LBS	680 kg
Winch	2600 LBS	1179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

241 FISHERMAN TANDEM AXLE TRAILER

SPECIFICATIONS	US	METRIC
Trailer length w/ Tongue Folded	25' 3"	7.696 m
Trailer length w/ Tongue Folded	22' 7"	6.883 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1211 LBS	549.3 kg
Carrying Capacity	5789 LBS	2626 kg
GVWR (Gross Vehicle Weight Rating)	7000 LBS	3175 kg
GAWR (Gross Axle Weight Rating)	7000 LBS	3175 kg
Tire Size / Range	ST 205/75R14C RADIAL	ST205/75R14C RADIAL
Tire Pressure	50 PSI COLD	350 KPA COLD
Tire Capacity	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	3500 LBS	1588 kg
Hub	5 LUG 4.5" PATTERN	5 LUG 11 cm PATTERN
Wheel Type	GALVANIZED	GALVANIZED
Jack Capacity	1500 LBS	680 kg
Winch	2600 LBS	1179 kg
Ball Size	2"	5 cm
Ball Towing Height	21"	53.3 cm

242 FISHERMAN TANDEM AXLE TRAILER

SPECIFICATIONS	US	METRIC
Trailer length w/ Tongue Folded	27' 11"	8.509 m
Trailer length w/ Tongue Folded	23' 3"	7.087 m
Width	8' 6"	2.591 m
Trailer Empty weight w/ spare	1385 LBS	628.2 kg
Carrying Capacity	8415 LBS	38175 kg
GVWR (Gross Vehicle Weight Rating)	9800 LBS	4445 kg
GAWR (Gross Axle Weight Rating)	10000 LBS	4535 kg
Tire Size / Range	ST 225/75R15D RADIAL	ST 225/75R15D RADIAL
Tire Pressure	65 PSI COLD	448 KPA COLD
Tire Capacity	1760 LBS	798 kg
Lug Nut Torque	90-120 FT/LBS	120.6NM-162.8NM
Axle	TANDEM	TANDEM
Axle Rating (Per Axle)	5000 LBS	2268 kg
Hub	6 LUG 5.5" PATTERN	6 LUG 14 cm PATTERN
Wheel Type	GALVANIZED	GALVANIZED
Jack Capacity	1500 LBS	680 kg
Winch	2600 LBS	1179 kg
Ball Size	2 5/16"	6 cm
Ball Towing Height	24.5"	62.23 cm



NOTES



NOTES

Rec Boat Holdings, LLC dba Wellcraft ("Wellcraft") warrants to you, the first North American retail purchaser of this 2017 model year Wellcraft boat or a second North American retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Wellcraft, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Wellcraft boat constitutes your acceptance of the terms of this limited warranty. This limited warranty gives you specific legal rights, which may vary from state to state

This limited warranty is the sole and exclusive express warranty from Wellcraft regarding your 2017 Wellcraft boat and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Wellcraft, unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

Coverage Under this Limited Warranty:

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-structural Parts and Components Limited Warranty: The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

Structural Deck or Liner Limited Warranty: The limited warranty period runs for five (5) years for Structural Deck or Liner Defects (defined below), except as noted below. For purposes of this limited warranty, the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull (defined below) flange (i.e. gunwale) and the "Liner" shall mean the single fiberglass molded interior shell walls and interior floor of the Hull (defined below) below the Hull flange (i.e. gunwale). A "Structural Deck or Liner Defect" shall mean a substantial defect in the boat's Hull or Liner which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

Structural Hull Limited Warranty: The limited warranty period runs for ten (10) years for Structural Hull Defects (defined below), except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structure within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale). A "Structural Hull Defect" shall mean a defect that causes the Hull to be unsafe or unfit for use under normal operating conditions.

The applicable limited warranty period, for both the First and Second (if applicable) North American retail purchasers, runs from the date of delivery of the boat to the first North American retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to the first North American retail purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to

submit a condition report on the boat with photos to Wellcraft before delivery of the boat to that purchaser; Wellcraft will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranties on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

This limited warranty may be transferred to a second North American retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first North American retail purchaser, for a non-refundable recording fee of \$200 (US) for boats 21' or less, \$300 (US) for boats more than 21' to 26', or \$500 (US) for boats more than 26', provided that the second North American retail purchaser purchases the boat from the first North American retail purchaser or an authorized Wellcraft dealer. To transfer the limited warranty, the second North American retail purchaser or the authorized Wellcraft dealer must send to Wellcraft, within fifteen (15) days of the boat's purchase, at the address noted below the: 1) first North American retail purchaser's plastic registration card, if available; 2) proof of purchase; and 3) the non-refundable recording fee made payable to Rec Boat Holdings, LLC dba Wellcraft. The limited warranty may only be transferred **once**. Wellcraft will confirm all limited warranty transfers, in writing, to the authorized Wellcraft dealer and/or second North American retail purchaser via email. Wellcraft reserves the right to reject a limited warranty transfer request for a Wellcraft boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Wellcraft dealer or the first North American retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Wellcraft, or a boat that has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Wellcraft, whether or not they are warranted by other manufacturers. **Note:** it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. Gel coat damage resulting from blistering and osmotic blistering and the original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.
10. The cost of removal or re-installation of parts or disassembly of units to repair or replace components covered by this limited warranty.

11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the U.S. Coast Guard Capacity Plate.
12. Any boat that has been misused; used in a negligent manner; used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instructions furnished by Wellcraft; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local, Coast Guard or other governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage resulting from failure to use a lower unit support device on any boat with an outboard motor when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Wellcraft.
19. Any defect that results in redesign of the Wellcraft boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT WELLCRAFT'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. WELLCRAFT EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period allowed under applicable law, whichever is earlier.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Wellcraft boat to the first North American retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first North American retail purchaser. After completion of the necessary pre-delivery services, the first North American retail purchaser must sign the Wellcraft limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to the boat unless these forms are completed, signed and returned to Wellcraft at the address indicated below, or via an authorized Wellcraft dealer's online dealer extranet. All information received by Wellcraft via the limited warranty registration or transfer process shall be the property of Wellcraft, and submission of information,

directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Wellcraft's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Wellcraft. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Wellcraft by sending a written request to: Wellcraft Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Wellcraft dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Wellcraft factory, or at another repair facility approved by Wellcraft. You are responsible for the expense associated with transporting the boat to and from the repair facility. Wellcraft must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Wellcraft dealer and present the Owner's Registration Card. If necessary, you should call Wellcraft for assistance to locate the nearest Wellcraft dealer in your area. The following procedures will apply to a limited warranty claim:

- A. The dealer will contact and receive an authorization number from Wellcraft for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Wellcraft limited warranty claim form if the claim is not submitted through the Wellcraft extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Wellcraft dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Wellcraft Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Wellcraft dealer must submit a written estimate to Wellcraft's claims department to obtain written pre-authorization (including a claim authorization number).** Wellcraft will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Wellcraft will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Wellcraft. Any questions concerning the scope of this limited warranty should be directed to Wellcraft. The terms and conditions contained in this limited warranty may not be modified, altered or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Wellcraft. Wellcraft does not authorize any person or persons (except a senior management level employee of Wellcraft), including Wellcraft's dealers, to change the terms of this limited warranty. (Note that your authorized Wellcraft dealer is an independent business, authorized to sell and service Wellcraft products, but is not an agent of Wellcraft.) Wellcraft reserves the right to change or improve the design or manufacture of Wellcraft boats without obligation to modify any boat previously manufactured.

Wellcraft / 925 Frisbie Street / Cadillac, MI 49601
Telephone: 231-775-1351

Rec Boat Holdings, LLC dba Wellcraft ("Wellcraft") warrants to you, the first International retail purchaser of this 2017 model year Wellcraft boat or a second International retail purchaser as noted below ("you"), that it will repair or replace, at its sole discretion, defects in materials or workmanship that occur and are reported to Wellcraft, or its factory authorized dealer, within the applicable limited warranty periods, subject to the terms, conditions and exclusions set forth below. Your acceptance of delivery of the warranted Wellcraft boat constitutes your acceptance of the terms of this limited warranty.

This limited warranty is the sole and exclusive express warranty from Wellcraft regarding your 2017 Wellcraft boat, and there are no express warranties which extend beyond those outlined in this limited warranty. There are no implied warranties from Wellcraft unless otherwise required under applicable law, and ALL IMPLIED WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY APPLICABLE LAW. ANY IMPLIED WARRANTIES (IF APPLICABLE) ARE LIMITED TO THE MINIMUM PERIOD OF TIME ALLOWED UNDER APPLICABLE LAW. Retail purchasers in the European Union (EU) may have legal rights under applicable national legislation and the Consumers Protective Directive 1999/44/EC of the European Parliament and of the Council of 25 May 1999, governing the sale of consumer goods, which are not affected by this limited warranty. Retail purchasers in other countries may also have legal rights which are not affected by this limited warranty.

Coverage Under This Limited Warranty:

Exterior Cosmetic Gel Coat Limited Warranty: The limited warranty period runs for one (1) year for defects in the boat's exterior cosmetic gel coat, including cracking, crazing, discoloring and fading, except as noted below.

Non-Structural Parts And Components Limited Warranty: The limited warranty period runs for one (1) year for defects in non-structural parts and components, except as noted below.

Structural Deck Or Liner Limited Warranty: The limited warranty period runs for five (5) years for Structural Deck or Liner Defects (defined below), except as noted below. For purposes of this limited warranty, the "Deck" shall mean the single fiberglass molded shell and integral fiberglass structural components above the Hull flange (i.e. gunwale) and the "Liner" shall mean the single fiberglass molded interior shell walls and interior floor of the Hull (defined below) below the Hull flange (i.e. gunwale). A "Structural Deck or Liner Defect" shall mean a substantial defect in the boat's Hull or Liner, which causes the boat to be unfit or unsafe for use as a pleasure craft under normal operating conditions.

Structural Hull Limited Warranty: The limited warranty period runs for ten (10) years for Structural Hull Defects, except as noted below. For purposes of this limited warranty, the "Hull" shall mean the single fiberglass molded shell and integral structure within the shell, including stringers, floorboards, transom and related structural reinforcements, all of which are below the Hull flange (i.e. gunwale). A "Structural Hull Defect" shall mean a defect that causes the Hull to be unsafe or unfit for use under normal operating conditions.

The applicable limited warranty period, for both the first and second (if applicable) International retail purchasers, runs from the date of delivery of the boat to the first International retail purchaser, provided that the boat is delivered to that purchaser within twelve (12) months from the date of its manufacture. For a boat delivered to that purchaser more

than twelve (12) months after the date of its manufacture, the limited warranty period runs from the date of its manufacture, not from the date the boat was delivered to the first International retail purchaser. For a boat delivered to that purchaser more than twelve (12) months and up to thirty-six (36) months after its date of manufacture, the selling dealer will be required to submit a condition report on the boat with photos to Wellcraft before delivery of the boat to that purchaser; Wellcraft will then determine and advise what limited warranty coverage remains in effect on the boat, if any. For a boat delivered to that purchaser more than thirty-six (36) months after the date of its manufacture, only the structural limited warranties on the boat will be in effect; all other limited warranties are voided. All limited warranties run concurrently.

This limited warranty may be transferred to a second International retail purchaser, if the transfer occurs within five (5) years of the boat's sale to the first International retail purchaser, for a non-refundable recording fee of \$200 (US) for boats 21' or less, \$300 (US) for boats more than 21' to 26', or \$500 (US) for boats more than 26'; provided that the second International retail purchaser purchases the boat from the first International retail purchaser or an authorized Wellcraft dealer. To transfer the limited warranty, the second International retail purchaser or the authorized Wellcraft dealer must send to Wellcraft, within fifteen (15) days of the boat's purchase, at the address noted below the: 1) first International retail purchaser's plastic registration card, if available; 2) proof of purchase; and 3) the non-refundable recording fee made payable to Wellcraft. The limited warranty may only be transferred **once**. Wellcraft will confirm all limited warranty transfers, in writing, to the authorized Wellcraft dealer and/or second International retail purchaser via email. Wellcraft reserves the right to reject a limited warranty transfer request for a Wellcraft boat that has been damaged, neglected or otherwise previously excluded from limited warranty coverage.

THIS LIMITED WARRANTY DOES NOT COVER:

1. A boat purchased from any party other than an authorized Wellcraft dealer or the first International retail purchaser.
2. A boat, including its components, that has been altered or modified so as to adversely affect its operation, performance or durability, as determined by Wellcraft, or a boat that has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this limited warranty.
3. Any damage resulting from an accident or impact with another object or any damage caused by an act of nature.
4. Damage, breakage and leakage around windshields, hatches or other designed openings.
5. Boats that are damaged due to storage or exposure conditions including, but not limited to, sun or cold weather.
6. Engines, power trains, outdrives, jet pumps, controls, propellers, batteries, appliances and other equipment, accessories or components that are not manufactured by Wellcraft, whether or not they are warranted by other manufacturers. **Note:** it is the purchaser's responsibility to complete any limited warranty registration procedure that may be applicable to these components.
7. Window glass, mirrors, varnish, paint, fabrics and chromium, stainless steel and other metal finishes.
8. Gel coat fading or discoloration that occurs below or at the water line on the Hull.
9. Gel coat damage resulting from blistering and osmotic blistering; and the original gel surface that has been altered in any way, including by repair, application of any coating other than marine barrier coating or marine barrier coating followed

by bottom paint, improper surface preparation for paint or improper or excessive sanding, scraping or sandblasting.

10. The cost of removal or re-instatement of parts or disassembly of units to repair or replace components covered by this limited warranty.
11. A boat that has been overpowered, according to the boat's maximum recommended engine horsepower, or overloaded in excess of the maximum limits as stated on the Capacity Plate.
12. Any boat that has been misused or used in a negligent manner; used for racing, speed or endurance contests; used for rental or charter; used for military, rescue, fire, safety, medical, police, law enforcement, patrol or similar government uses; used for commercial purposes; used without normal maintenance; operated contrary to any instructions furnished by Wellcraft; improperly lifted or trailered; improperly secured to a trailer; or operated in violation of any federal, state, local or governmental agency laws, rules or regulations. Also, this limited warranty does not cover any damage resulting from failure to use a lower unit support device on any boat with an outboard motor when transporting the boat.
13. Estimated characteristics such as weight, speed, range, fuel consumption or other estimated performance characteristics.
14. Dealer preparation, cleaning, final adjustments and alignments in preparing the boat for delivery.
15. Fit and adjustment of exterior canvas tops, enclosures and weather covers or other soft goods.
16. Sacrificial deterioration of anti-fouling paint or zinc anodes.
17. Damage resulting from electrolysis or corrosion of any nature from any source.
18. Any failure or defect arising from previous repairs made by a non-authorized service provider, unless preapproved by Wellcraft.
19. Any defect that results in redesign of the Wellcraft boat.
20. Trailers.

THE SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY AND ANY APPLICABLE IMPLIED WARRANTY IS THE REPAIR OR REPLACEMENT, AT WELLCRAFT'S SOLE OPTION, OF WARRANTED PARTS AND COMPONENTS. WELLCRAFT EXCLUDES AND DISCLAIMS ANY LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF TIME, INCONVENIENCE, INSTALLMENT PAYMENTS, INSURANCE PAYMENTS, MARINA FEES, RETAIL CHARGES, TRAVEL EXPENSES, LOSS OF USE, HAUL OUT, LAUNCH, TOWING AND/OR STORAGE CHARGES, LOSS OF OR DAMAGE TO PERSONAL PROPERTY OR OTHER SIMILAR COSTS AND EXPENSES OR ANY CLAIM NOT SPECIFICALLY COVERED BY THIS LIMITED WARRANTY. Any legal action alleging breach of any applicable warranty coverage must be brought within one (1) year from the date the alleged breach first occurred or the shortest period of time allowed under applicable law. Any claim by a retail purchaser in the EU that the boat was nonconforming at the time of delivery must be made within two (2) years from the date of delivery.

PRE-DELIVERY SERVICE AND LIMITED WARRANTY REGISTRATION

Prior to delivering a new Wellcraft boat to the first International retail purchaser, the authorized dealer is required to inspect and perform all necessary pre-delivery services including completing the "Pre-Delivery Service Record" portion of the limited warranty. Any cost associated with the pre-delivery inspection is the responsibility of the first International retail purchaser. After completion of the necessary pre-delivery services, the first International retail purchaser must sign the Wellcraft limited warranty registration form and Pre-Delivery Service Record provided by the dealer, where indicated. No limited warranty coverage is applicable to

the boat unless these forms are completed, signed and returned to Wellcraft at the address indicated below, or via an authorized Wellcraft dealer's online dealer extranet. All information received by Wellcraft via the limited warranty registration or transfer process shall be the property of Wellcraft, and submission of information, directly or indirectly, via the limited warranty registration process shall, to the extent permitted by applicable law, be deemed to constitute consent by the purchaser and dealer to Wellcraft's use of such information at any time for all purposes allowed by law, including use of that information by third parties selected by Wellcraft. You may opt to not have your personal information disclosed to third parties and/or to not receive marketing materials from Wellcraft by sending a written request to: Wellcraft Warranty Department, 925 Frisbie Street, Cadillac, MI 49601.

OBTAINING REPAIRS UNDER THIS LIMITED WARRANTY

The authorized Wellcraft dealer will carry out the limited warranty procedures on your behalf. All limited warranty work must be performed at an authorized dealer or a sublet repair facility chosen by an authorized dealer, at the Wellcraft factory, or at another repair facility approved by Wellcraft. You are responsible for the expense associated with transporting the boat to and from the repair facility. Wellcraft must receive written notice of all limited warranty claims prior to the expiration of this limited warranty and be allowed an opportunity to resolve them.

To obtain limited warranty service, you must return the boat, including any alleged defective part, to an authorized Wellcraft dealer and present the Owner's Registration Card. If necessary, you should call Wellcraft for assistance to locate the nearest Wellcraft dealer in your area. The following procedures will apply to a warranty claim:

- A. The dealer will contact and receive an authorization number from Wellcraft for repairs.
- B. Upon completion of repairs, you must pay the dealer for non-covered items.
- C. You assume all liability for payment of non-authorized repairs.
- D. You must sign the Wellcraft limited warranty claim form if the claim is not submitted through the Wellcraft extranet by the dealer.

If sublet limited warranty repairs are required for any reason, the authorized Wellcraft dealer will be responsible for choosing a qualified and reputable repair facility and the authorized **Wellcraft Dealer will be responsible for all work performed by the sublet repair facility. Before referring any work to a sublet repair facility, the authorized Wellcraft dealer must submit a written estimate to Wellcraft's claims department to obtain written pre-authorization (including a claim authorization number).** Wellcraft will not honor or pay for claims submitted for repairs by sublet repair facilities unless this procedure has been followed. Wellcraft will not authorize or pay for sublet repairs initiated because of a lack of dealer service facilities.

This document contains the entire limited warranty provided by Wellcraft. Any questions concerning the scope of this limited warranty should be directed to Wellcraft. The terms and conditions contained in this limited warranty may not be modified, altered or waived by any action, inaction or representation, whether oral or in writing, except upon the express, written authority of a senior management level employee of Wellcraft. Wellcraft does not authorize any person or persons (except a senior management level employee of Wellcraft), including Wellcraft's dealers, to change the terms of this limited warranty. (Note that your authorized Wellcraft dealer is an independent business, authorized to sell and service Wellcraft products, but is not an agent of Wellcraft). Wellcraft reserves the right to change or improve the design or manufacture of Wellcraft boats without obligation to modify any boat previously manufactured.

Wellcraft / 925 Frisbie Street / Cadillac, MI 49601
Telephone: 231-775-1351



925 Frisbie Street | Cadillac, MI 49601
231.775.1351

www.wellcraft.com

P/N 090-3021-17